



Dynamic Marine Systems

Ahead in stabilisation



Email: stabilisers@dmssalesuk.com

Office: 0044 (0)2380 970 970

Mobile: 0044 (0)7740 100 870



Web: www.dmssalesuk.com

DMS MagnusMaster®

[Contact Us](#)


[Dimensions – April 2024](#)

[Download video Brochure](#)





(Dimensions in MM)

DMS MagnusMaster



(Dimensions in MM)


DMS MagnusMaster



(Showing Standard Steel Bushing – Diameter 217MM)

(Dimensions in MM)

DMS MagnusMaster



(Dimensions in MM)

DMS MagnusMaster



(Dimensions in MM)

DMS MagnusMaster

IMO (Worm Drive)

SWIVEL MOTOR

WELDING TUBE
(Through Hull Bushing)

GREASE POINTS
(See Manual)

ROTOR

MANUAL OVERRIDE
(Operation Requires 19mm
Ratchet Socket See Manual)

(Schematic for Visual Purpose Only)

DMS MagnusMaster








(Schematic for Visual Purpose Only)


DMS MagnusMaster

DMS MagnusMaster Standard Steel Bushing (Welding Tube) Dimensions

Welding Tube	Aluminum	Steel
Outer Diameter	228 mm	217 mm
Length	246 mm	246 mm



SECTION Z-Z



(Dimensions in MM)

DMS MagnusMaster